Qty:

User: Written By

Wednesday, 1/23/2008 11:32:07 AM

Kim Johnston

Process Sheet

DD verified by:

: CU-DAR001 Dart Helicopters Services Customer

Job Number : 36913 : 13043 Estimate Number

P.O. Number

: 1/23/2008 This Issue

Prsht Rev. : NC

: 11 First Issue

: 35850 Previous Run

Checked & Approved By

: Est Rev:A

Comment

New Issue 07-09-27

S.O. No. :

Type

: SMALL /MED FAB

ECN 1113P 08-01-22 Est Rev:B

Part Number **Drawing Number**

Drawing Name

: D3651 REV.B U/R : N/A

Project Number **Drawing Revision**

Material **Due Date**

: 2/29/2008

: AFT BASE ASS'Y

: D3651041

: B U/R

PH 08.03.13

Each

Additional Product

Job Number:



Seq. #:

1.0

3.0

4.0

Machine Or Operation:

PACKAGING 1

PACKAGING RESOURCE #1

Description:

Comment: PACKAGING RESOURCE #1

Pick Packing Kit

2.0 D3651043 FLANGE ASSEMBLY

Comment: Qtv.: FLANGE ASSEMBLY

1.0000 Each(s)/Unit Total:

2.0000 Each(s)

D36511



Comment: Qty.:

1.0000 Each(s)/Unit

Total:

2.0000 Each(s)

GASKET

D36519

DOUBLER



Comment: Qtv.:

1.0000 Each(s)/Unit

Total:

DOUBLER

2.0000 Each(s)

D365111

GASKET

337137

5.0

6.0

D365113

1.0000 Each(s)/Unit

2.0000 Each(s)

Comment: Qty.: **GASKET**

Total:

DOUBLER

Comment: Qty.:

1.0000 Each(s)/Unit

Total:

2.0000 Each(s)

DOUBLER

Dart Aerospace Ltd

W/O:		WORK ORDER CHA	WORK ORDER CHANGES							
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
					:		·			
Part No):	PAR #: Fault Category:	NCR: Yes	No DQ	A: 1	Date: 🖰	8/03/19			
			QA:	N/C Close	d:	_ Date: _				

NCR:			WORK ORD	ER NON-CONFORMAN	CE (NCR)			, , , , ,
		Description of NC		Corrective Action Section B				
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector
· Marian								
•								
						·		

	1							

NOTE: Date & initial all entries

**** * *******************************	dnesday, 1/23/3 n Johnston	2008 11:32:07 AM	Process Shee	t		
Customer	: CU-DAR001	Dart Helicopters Services	Drawing N	Name: AFT BASE	ASS'Y	
Job Number:	: 36913		Part Nu	mber: D3651041		
Job Number:						
Seq. #:	Machine Or	Operation:		Description :		
7.0	CR3523402		RIVET			
Commo	ent: Qty.: 58 RIVET	3.0000 Each(s)/Unit Tota	l: 116.0000 Each(s)		M106302	
8.0	SMALL FAB 1		SMALL & MEDIUM FAB	RESOURCE 1		
Commo	2- Seal all Batch: 3-install D	le as per dwg D3651 mating surfaces and gaps MLOGDEY 3651-1 using 3M high per f				080313
9.0	QC5		INSPECT WORK TO CU ENGINE APPR	ERING LOVAL 04 00.03,10		
10.0	PACKAGING 1	WORK TO CURRENT ST	PACKAGING RESOURC		1 6086	13/14 (FD)
10.0	FACKAGING		T ACINGING NEGOCIA	. #1		
Comme		NG RESOURCE #1		N 041-		
	Location:_	ith Dart part # using a fine	3	8/3/18		
11.0	QC21		FINAL INSPECTION MIC	RELEASE		08 03 18
Comme	ent: FINAL INS	SPECTION/W/O RELEASE			44.58	(311/z ()
Job Completion				POSITIVE EFFECTIVE RELEASED	56 31.31 AUTH 1	(

Dart Aerospace Ltd

W/O:		WORK ORDER CH	WORK ORDER CHANGES							
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approva QC Inspecto			
Part No		PAR #: Fault Category:	NCR: Yes	No DQ	A:	Date:				
			QA:	N/C Close	d:	_ Date: _				

NCR:			WORK ORDE	ER NON-CONFORMAN	CE (NCR)			
		Description of NC	Corrective Action Section B		Verification Ap		Approval	
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	QC Inspecto
								:
		•						

NOTE: Date & initial all entries


-D3651-13 OUTSIDE DOUBLER -D3651-11 GASKET D3651-9 INSIDE DOUBLER -D3651-043 FLANGE WELDMENT

D3651-041 AFT BASE ASSEMBLY

С

- D3651-041 NOTES:

 1) SEAL ALL MATING SURFACES AND GAPS USING PROSEAL 700 FIRE WALL SEALANT
 2) INSTALL D3651-1 USING 3M HIGH PERFORMANCE CONTACT ADHESIVE 1357
 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 6) IDENTIFICATION: NONE
 7) WEIGHT: 1.6 lbs



PART LIST

QTY -041	PART NUMBER	DESCRIPTION
Х	D3651-041	AFT BASE ASSEMBLY
1	D3651-043	FLANGE WELDMENT
1	D3651-1	GASKET
1	D3651-9	INSIDE DOUBLER
1	D3651-11	GASKET
1	D3651-13	OUTSIDE DOUBLER
58	CR3523-4-02 or NAS9307M-4-02	RIVET

PRELIMINARY ISSUE

В	SHEET SHEET SHEET SHEET	1: GENERAL U 2: 8.74 WAS 8. S 4, 5, 6, 8 & 9: 7: 5.514 WAS 5	RF	08.01.07	
Α	NEW IS	SUE		RF	07.11.07
REV.	DESCRIPTION				DATE
DESIGN RF			DART AEROSPA	CEL	TD
DRAWN RF			HAWKESBURY, ONTARIO, CANADA		
CHECK	ED	11 0	DRAWING NO.		REV. B
MFG. APPR. D365		M	D3651		SHEET 1 OF 9
APPROVED TITLE			J ··· ==		SCALE
DE APPR.			AFT BASE ASSEMBL	Y	1:4
DATE	08.0	1.07	COPYRIGHT © 2007 BY DART A THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED NOT TO BE USED FOR ANY PURPOSE OR COMMUNICA WRITTEN PERMISSION FROM DART ARE	ON THE EXPRE	SS CONDITION THAT IT IS

D

-D3651-13 OUTSIDE DOUBLER -D3651-11 GASKET D3651-9 INSIDE DOUBLER -D3651-043 FLANGE WELDMENT △D3651-1 GASKET




D

С

D3651-041 NOTES:

1) SEAL ALL MATING SURFACES AND GAPS USING PROSEAL 700 FIRE WALL SEALANT
2) INSTALL D3651-1 USING 3M HIGH PERFORMANCE CONTACT ADHESIVE 1357
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE
7) WEIGHT: 1.6 lbs



PART LIST

QTY -041	PART NUMBER	DESCRIPTION
Χ	D3651-041	AFT BASE ASSEMBLY
1	D3651-043	FLANGE WELDMENT
1	D3651-1	GASKET
1	D3651-9	INSIDE DOUBLER
1	D3651-11	GASKET
1	D3651-13	OUTSIDE DOUBLER
58	CR3523-4-02 or NAS9307M-4-02	RIVET

В	SHEET	2: 8.74 WAS 8.5 S 4. 5 6 8 & 9 0	GENERAL UPDATE 8.74 WAS 8.50; 0.88 WAS 0.98; REMOVED ANGLE 4,5,6,8 & 9; GENERAL DIMENSIONAL UPDATE 5.514 WAS 5.504					
Α	NEW IS	SUE		RF	07.11.07			
REV.	DESCRIPTION			BY	DATE			
DESIGN	1	RF .	DART AEROSPA	CFI	TD			
DRAWN		RF	HAWKESBURY, ONTARIO, CANADA					
CHECK	ED	114	DRAWING NO.		REV. B			
MFG. APPR.			D3651		SHEET 1 OF 9			
APPROVED /		1	TITLE		SCALE			
DE APPR.		131	AFT BASE ASSEMBLY 1		1:4			
DATE 08.01.07			COPYRIGHT © 2007 BY DART AS THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED OF NOT TO BE USED FOR AIM PURPOSE OR COPIED OR COMMUNICAL WRITTEN PERMISSION FROM DART ABER	ON THE EXPRES	S CONDITION THAT IT IS			